# Configure ProjectWise Explorer

1. Start ProjectWise Explorer
2. Select the **Tools** menu

3. Select **Network Configuration Settings** (this may require assistance by the IT team from your company)

4. Tick **Prevent UDP** and untick both **IPv6** tick boxes.

5. Select the **DNS Services** tab

6. Tick **Prevent UDP**
7. Enter the fields as per the table below for the site required, you may need to choose the Run as administrator in the lower left corner to enter the configuration (example shown is for Jacobs Americas)
8. Click the **Add** button
9. Repeat steps 7 and 8 if multiple sites are required

10. Select the Datasource Listing tab

11. Tick **Prevent UDP**

12. Enter the fields as per the table below for the site required (example shown is for Jacobs Americas)

13. Click the **Add** button

14. Repeat steps 12 and 13 if multiple sites are required

15. Click the **Save** button

16. Click the **Close** button

17. Restart **ProjectWise Explorer**

18. If there are Jacobs Datasources listed in the left panel under the **ProjectWise Explorer Datasources** node you can proceed to Login or if they are not listed try the self-help support options.

Name	Host name	Port	Datasources
Jacobs Americas (Las Vegas)	ProjectWiseGatewayAMER.Jacobs.com	5800	.DEN001, Jacobs_DEN003, Jacobs_US_B_I_SS4, NAI, GBNA etc.
Jacobs Asia Pacific (Sydney)	ProjectWiseGatewayAPAC.Jacobs.com	5800	Jacobs ANZ IE, Jacobs ANZ RP, Sydney Waters, Sydney Trains, etc.
Jacobs EMEA (Manchester)	ProjectWiseGatewayEMEA.jacobs.com	5800	.LON001, .LON002, .MDT001, Jacobs EMEA, etc.

If you have not used ProjectWise before go to Learn or if further assistance is required go to Support.